

Just the ticket for an unforgettable day. Combines power, handling, stability and loads of extras your family will love.



Specifications

DIMENSIONS

Length.....	127" / 323 cm
Width.....	49" / 125 cm
Height.....	45.9" / 117 cm
Weight (dry).....	745 lb / 338 kg
Rider capacity.....	3
Fuel capacity.....	15.9 US gal / 60 L
Storage capacity.....	12.4 US gal / 46.8 L

ENGINE

Type.....	155 hp or 130 hp Rotax® 4-TEC® engine
Intake system.....	Naturally aspirated with 52mm throttle body
Bore x stroke.....	100 mm x 63.4 mm
Displacement.....	1,494 cc
Compression ratio.....	10.6:1
Cooling.....	Closed-loop cooling system
Fuel type.....	87 octane

DRIVE UNIT

Propulsion system.....	Sea-Doo® Direct Drive
Jet pump.....	Aluminum, axial flow, single stage, large hub with 10-vane stator
Transmission.....	Direct drive, forward/neutral/reverse
Impeller.....	Stainless steel

ELECTRICAL

Ignition.....	Digital induction
Starter.....	Electric
Battery.....	12 V

HULL AND COMPONENTS

Type.....	Progressive-V, composite
Color.....	Abyss Blue



Cut & sew seat



Adjustable mirrors



Fold-down reboarding step



Watertight, removable storage bin



Ski tow eye



Sea-Doo Learning Key™

Standard Features

GTI SE 155 | 130

RECREATION | 2010



HULL AND COMPONENTS

- Progressive-V, composite Wider, flatter, more stable and provides a drier ride. Designed with families in mind, it has a very nimble, playful feel, distributes wear evenly, and is practically self-righting.
- FRP construction Strong, light and easy to maintain.
- Elevated fuel filler Easy access and prevents water intrusion while refueling.
- Watertight, removable Provides dry storage for luggage and storage bin necessities with easy access.
- Multifunction Digital Reports 17 key operating functions: Information Center Fuel Level, Low Fuel Level, Low Voltage, Tachometer, Overheat, Hour Meter, Maintenance Info, Speedometer, Water Temperature, Check Engine, Low Oil Pressure, Sensor Check, Hi Voltage, Key (battery protection), Key (wrong key), L-Key, Error codes.
- Digitally Encoded Security Industry's first digitally encoded theft-deterrent System (D.E.S.S.™) system.
- Foam flotation Ride with security and peace of mind. Meets or exceeds USCG standards.
- Off-Power Assisted Steering Assists steering during off-power, as well as (O.P.A.S.™) off-throttle situations.
- Sponsons
- Bumpers
- Platform carpets double coloration
- Reboarding platform
- Rear grab handle
- Dual drain plugs
- External exhaust cooling flush attachment
- Double density comfort hand grips
- Emergency floating lanyard
- Cut & sew seat with two colors
- Seat strap
- Operator's guide, instructional video and booklet

SE PACKAGE

- Adjustable mirrors Increase field of view.
- Fold-down reboarding step Makes reboarding from the water easier and quicker.
- Ski tow eye For easy and secure attachment of ski rope.
- Chrome parts For extra style and premium looks.
- Speedometer
- Lake temperature sensor

OPTIONS

- 3-position retractable ski pylon
- Removable wakeboard rack
- Depth finder
- Removable dry bag for front storage
- Safety kit
- Mooring rope
- Sandbag anchor
- Protective cover
- Advanced TEC trailer
- Fire extinguisher

WARRANTY

BRP limited warranty covers the watercraft for one year.

ENGINE

- 1,494 cc four-stroke 155 hp or 130 hp Rotax 4-TEC engine provides SOHC with four valves reliable performance in fresh or saltwater, increased torque at low RPM, optimized power per cylinder at all RPM levels and throttle positions.
- Sea-Doo Learning Key™ LK1 – Limits engine RPM and top speed to about 35 mph (56 km/h). LK2 – Limits engine RPM and top speed to about 45 mph (72 km/h). Options are programmable by dealer.
- D-Sea-Bel™ system Combines a series of resonators, acoustical foam and vibration-absorbing components to make Sea-Doo watercraft some of the quietest on the water.
- Multi-port fuel injection Better control of exhaust emission and power at all RPM ranges to reduce emissions and reduce fuel consumption.
- Closed-loop cooling system Ensures the proper operating temperature at all speeds and improves corrosion durability.
- Water/air separator Provides maximum airflow to engine and reduces water intrusion.
- Watertight digital ignition Provides optimal energy for a consistent spark, ensuring maximum performance.
- RPM limiter Protects engine from over-revving.
- Warning device Warns operator of engine and exhaust overheating, engine management and system failure.
- Handlebar-mounted Engine starts and stops with single, start/stop button user-friendly control button.
- Tip Over Protection Protects engine in case of turn over. System (T.O.P.S.™)

PROPULSION SYSTEM

- Sea-Doo Direct Drive Delivers optimum performance with the Rotax propulsion system engine.
- Forward/neutral/reverse Located on the left side for maximum convenience and maneuverability especially around docks and trailer ramps.
- Aluminum stator vanes Handle the high-performance engine without erosion.
- Dual automatic vacuum Continuously removes water entering the siphon pumps engine compartment.
- Large diameter drive shaft Maintains engine and pump alignment at all with crowned spline design operating speeds.
- Replaceable urethane Provides long impeller life, less maintenance wear ring and maximum thrust.
- Stainless steel Delivers improved acceleration, higher top speed and less cavitation. impeller

